

A Full-Service Solution for Temporary Lighting & Power Distribution



Jobsite360 offers construction managers peace of mind

Jobsite360 is a revolutionary approach to how you handle temporary lighting and power distribution on your jobsites.

Lind Equipment takes over the entire planning and delivery process, providing you with peace of mind and leaving you with one less thing to worry about.



- Full-Service Solution We will handle everything from design to delivery.
- Dedicated Team Our Design Team will work closely with you and your project team to ensure all project requirements, specs and codes are met.
- Jobsite 360 Layouts Complimentary lighting and power layouts based on your project's floorplans which also include a savings analysis and BOM.
- Guaranteed On-Time Delivery We work with you to plan a delivery schedule so the product arrives on site when you need it.
- Jobsite Shipping Lights are delivered to the jobsite ready to hang with exactly the right assortment of lights needed for that project phase and minimal packaging.
- Engineered Tough Our lights and power units have been engineered and designed for the toughest environments.
- Purpose-built Our equipment is designed to save contractors time and money, while creating a
 safer and more efficient jobsite.

Let us focus on the temporary lighting & power distribution for you!

How does it work?



You provide us with the project drawings or blueprints, and our specialist team creates a layout for you, mapping what equipment you need and where to install it on your jobsite. We take into account all safety and electrical requirements, as well as any project-specific requirements.

Our layout keeps in mind the functionality and benefits of our products, maximizing the efficiency of the jobsite, which ultimately results in savings for you.





After incorporating your feedback on our layouts, we provide you with a temporary lighting and power distribution bill of materials so you can place your order.

After placing your order, you can schedule when you need the various pieces of equipment. Need all the temporary lighting and power equipment for Floors 1-3 now and Floors 4-6 in a month? No problem. Our guaranteed delivery program makes sure that you can set it and forget it.





Your project is assigned a dedicated success manager to provide ongoing support. Enjoy peace of mind with a hassle-free warranty and a team of knowledgeable professionals you can always depend on.

START TODAY!

Get temporary lighting and power distribution off your plate by booking a call with our team of specialists in less than 60 seconds.

Scan the QR Code:



Where Innovation Meets Functionality

We work to ensure that our products do their job so you can concentrate on doing yours. Jobsite360 lights are built with high-quality components, ultra-efficient LEDs and innovative features that make your projects run smoother & safer.

Compared to traditional bulb-based LED's, our Jobsite360 lighting is a game-changer, slashing material and labor costs by a minimum of 60% while also reducing energy consumption by 40% or more.



Modular 14/3 SJTW daisy-chain



A

Theft-resistant 3-pin Quick Connect



Field serviceable



Drop tested to surpass military grade standards



3-year no hassle warranty





Wet location rated to meet OSHA requirements



Approved to UL & CSA standards



90V - 277V input range



Built-in surge protection





Temperature rating -40°F to +104°F -40°C to +40°C

Beacon360 Blaze

Features

- Reduce installation points at a ratio of 25:1 compared to stringlights.
- Easily relocate or interchange with other Jobsite360 lights throughout the site as the project progresses.
- · Quickly transition onto a tripod or floor stand.
- · Variety of mounting options.
- · Dimmable to half-power.

Applications

- All-purpose jobsite area light
- Replace stringlights (250 ft worth!)
- Replaces 400W metal-halide

Recommended guidelines to meet OSHA standards





Part Number	LE360LED-25P25C
Description	100W LED Low-Bay Wide Area Light
Lumens	14,300 @100% / 7,150 @ 50%
Daisy-Chain	 50' Daisy-Chain (25 foot 5-15 Plug and 25 foot 5-15 Triple Connector) Detachable from light head via Quick-Connect.
Quick-Connect	Watertight 3-pin locking connector
Amp Draw (@120V)	0.83A
Linkage Rating	14 units on a 15A/120V Circuit (Equal to 35,000 sq/ft of Coverage)
Weight (light head)	4.5 lbs
Construction	Cast aluminum housing with polycarbonate lens.
Mounting options	Eyebolt (included), 4-8' Tripod (-TR) Floorstand (-FS), Magnet (-MAG) Scaffold Clamp (-CLAMP)
Temp to Perm Option	LE360LED-BE , Light head will come with a 10-foot cord with bare ends and 6 inches stripped

Beacon120 High-Bay

Features

- · Quick out-of-the-box plug & play installation.
- State-of-the-art DirectDrive technology eliminates need for external driver.
- Easily relocate or interchange with other Jobsite360 lights throughout the site as the project progresses.
- Connects to daisy-chain with modular Quick Connect.
- Compact & lightweight. Easy to uninstall, transport & store.

Applications

- Area lighting for high ceiling heights
- · Replace 400W metal-halide lights

Recommended guidelines to meet OSHA standards

- Installation height: 16-25 feet
- · Spacing: 50 feet
- 2,500 ft² light coverage to 5fc







Overview	
Part Number	LE-HB120LED-25P25C
Description	120W LED High-Bay Light
Lumens	15,250 lumens
Daisy-Chain	 50' Daisy-Chain Option (25 foot 5-15 Plug and 25 foot 5-15 Triple Connector) Detachable from light head via Quick-Connect.
Quick-Connect	Watertight 3-pin locking connector
Amp Draw (@120V)	1A
Linkage Rating	12 units on a 15A/120V Circuit (Equal to 30,000 sq/ft of Coverage)
Weight (light head)	2.6 lbs
Construction	High strength lightweight aluminum housing with polycarbonate lens.
Mounting options	Rugged stainless steel carabiner
Temp to Perm Option	LE-HB120LED-BE , Light head will come with a 10-foot cord with bare ends and 6 inches stripped

Beacon360 Spark

Features

- · Effortlessly branch off into individual rooms.
- · Flexibility to install lights exactly where needed.
- 40% less energy usage compared to LED bulbbased stringlights.
- Easily relocated or interchanged with other Jobsite360 lights throughout the site as the project progresses.

Applications

- Replace all types of stringlights
- Corridors
- Small/medium rooms
- Stairwells

Recommended guidelines to meet OSHA standards

- Installation height: 8-10 feet
- · Spacing: 20 feet
- 400 ft² light coverage to 5fc








Overview	
Part Number	LE360LEDS-10P10C
Description	20W LED Modular Stringlight
Lumens	2,400 lumens
Daisy-Chain	 20' Daisy-Chain Option (10 foot 5-15 Plug and 10 foot 5-15 Triple Connector) Detachable from light head via Quick-Connect.
Quick-Connect	Watertight 3-pin locking connector
Amp Draw (@120V)	0.17A
Linkage Rating	60 units on a 15A/120V Circuit (Equal to 1,200 linear feet or 24,000 sq/ft of Coverage)
Weight (light head)	1.5 lbs
Construction	High impact plastic & aluminum housing with polycarbonate lens.
Mounting options	Integrated molded mounting eyelet
Temp to Perm Option	LE360LEDS-BE, Light head will come with a 10-foot cord with bare ends and 6 inches stripped

Beacon980 Large Area Floodlight

Features

- Reinforced mounting yoke is adaptable to install on virtually any base.
- No expensive/breakable ballast.
- Available as retro-fit kit to upgrade existing light towers/carts.
- State-of-the-art DirectDrive technology elminates the need for external driver.
- Cart model features built-in generator pad, winch-assisted 12-foot mast & foam filled rubber tires for completely safe and hassle-free operation.





Applications

- · Crane/pit lighting
- · General Site Lighting
- Light Carts
- Concrete pours
- Excavations
- Demolition





Part Number	LE980LED
Description	200W Large Area Floodlight
Lumens	30,000 lumens
Amp Draw (@120V)	1.67A
Weight (light head)	16 lbs
Cord	15' 16/3 SJTW with 5-15 Plug
Construction	High strength lightweight aluminum housing with polycarbonate lens.
Mounting options	Rugged steel adjustable bracket.
LE980LED-TRW	Single light head, comes with a heavy-duty tripod with winch (Max Height: 12ft)
LE980LED-CART-W	Single light head, comes with a 2-wheel cart with winch (Max Height: 12.5ft)
LE980LED-CART-TD-W	Dual light head, comes with a 2-wheel cart with winch (Max Height: 12.5ft)

Beacon980 LED Tower

Features

- · Unparalleled high light output.
- Plugs into a 120V outlet, 2 units on can run on a single 15A circuit
- Can also run on a user supplied 1,000W or 2,000W suitcase generator.
- · Electric mode provides quiet operation with no fumes.
- Easily fits on the back of a pickup truck.
- · Heavy-gauge all-steel construction.
- · 4-Way forklift pockets for easy deployment.
- · Fits through standard doorway.

Applications

- Replaces a 4,000W Metal Halide Light Tower
- Large area site lighting
- Concrete pours
- · Jobsite roadway and walkway lighting





Part Number	LE980LEDV-T4
Description	800W LED Light Tower
Lumens	120,000 lumens
Amp Draw (@120V)	6.67A
Height	16' or 20' for the extended mast version
Linkage Rating	2 units on a 15A/120V Circuit
Run Time	Approx 45 hours on a user supplied 2000W suitcase generator paired with included auxiliary fuel tank.
Wind resistance	45 mph
Portability	All-terrain caster tires, rigging eyelets & built-in forklift channels.
Other models	Extended Mast (LE980LEDVEM-T4) Tow behind (LE980LEDV-TRAILER)

Why we are Better!

Innovative Design Solutions

Elevate the status quo by incorporating cutting-edge technology and industry advancements to ensure exceptional product quality, safety, reliability, and performance. All designed to withstand harsh environments for years to come.

Expertise

Industry leaders in manufacturing a diverse range of power distribution equipment customized to meet contractor specifications.

Customization & Flexibility

Partnering with clients from beginning to end, we ensure the final product aligns perfectly with your specifications while upholding high-quality standards.



Portable



0

Lockable enclosure



Easily maintained





Weatherproof Enclosures



1-year no hassle warranty



Scalable in sizes and capacity



Multiple input styles







Field Inspected



Customizable and versatile

Power Distribution Box

Features

- Integrated GFCI Receptacles.
- Dedicated Quad USB-A receptacle for charging mobile devices.
- · LED Indicator Light on the 50A Input Receptacle.
- Receptacles angled at 45° and protected with weatherproof covers.
- Internal components are located under a false top for easy access.
- Electrical components are easy to source and readily available.
- Each power unit has a 100ft x 100ft (10,000ft²) area of coverage, assuming the use of 50' extension cords to power tools and equipment.







Part Number	92000
Description	50A Power Distribution Box (Spider Box)
Input	50A 125/250V (California Standard)
Output	50A 125/250V (California Standard)
Weatherproof Receptacles	6 x 20A 125V GFCI Duplex (5-20R) 1 x 30A 250V Twist Lock (L6-30R) 1 x 4.8A Quad USB-A
Weight	38 lbs
Dimensions	23.5" W X 16.5" L X 15.5" H
Construction	Heavy-Gauge Powder Coated Steel
Approval	ETL
Add-On Accessories	91006 - 50' power cord 6/3 + 8/1 STOW w/ 50A plug and connector 91007 - 100' power cord 6/3 + 8/1 STOW w/ 50A plug and connector

Power Dolly

Features

- Configuration options from 100A-400A.
- Hoisting eyelets.
- · Foam filled wheels.
- Storage shelf.
- · Cable hook.
- Weatherproof electrical enclosures.
- USB-A charging receptacle.
- Built-in Beacon360 area light.

Package Recommendation

- Each 50A 125/250V California Standard receptacle is powering one (1) Spider Box.
- Each power unit has a 100ft x 100ft (10,000ft²) area of coverage. assuming the use of 50' extension cords to power tools and equipment.





Overview

Description	Power Distribution Dolly
Input Amparage	100A - 400A
Input Voltage	120V (480V & 600V Options Available at Request)
Weatherproof Receptacles	2-8 x 50A 125/250V Twist Lock (Cali Std) 6 x 20A 125V T-Slot GFCI Duplex (5-20R) 2 x 30A 250V Twist Lock (L6-30R) 1 x 4.8A Quad USB-A
Construction	Heavy-Gauge Powder Coated Steel
Approvals	ETL

To view the complete data sheet and part numbers, please go to: jobsite360.net/products

Transformer Cart

Features

- Accommodates 30-75KVA transformers.
- Forklift/ telehandler pockets.
- · Hoisting eyelets.
- · Heavy duty swivel casters.
- Covered storage shelf.
- · Weatherproof electrical enclosures.
- USB-A charging receptacle.
- Built-in Beacon360 area light.

Package Recommendation

- Each 50A 125/250V California Standard receptacle is powering one (1) Spider Box.
- Each power unit has a 100ft x 100ft (10,000ft²) area of coverage, assuming the use of 50' extension cords to power tools and equipment.





Overview

Description	Power Distribution Transformer Cart
Input Amperage	30A - 400A
Input Voltage	480V or 600V
Transformers	30KVA, 45KVA, 75KVA
Output Amperage	100A - 225A
Output Voltage	120V/208V
Weatherproof Receptacles	2-6 x 50A 125/250V Twist Lock (Cali Std) 6 x 20A 125V T-Slot GFCI Duplex (5-20R) 2 x 30A 250V Twist Lock (L6+30R) 1 x 4.8A Quad USB-A
Construction	Heavy-Gauge Powder Coated Steel
Approvals	ETL

To view the complete data sheet and part numbers, please go to: jobsite360.net/products

Jobsite360 Success Story

Best Practices

For contractors looking to make the biggest positive impact to their operations, standardizing Jobsite 360 across all divisions and locations generates huge savings in labor, equipment and operations. PCL's Alberta division is a perfect example of the power of Jobsite 360 as a standardized solution. This group has standardized on Jobsite 360 lights since 2016, turning jobsite lighting into an asset instead of an expense. This means building a fleet of Jobsite 360 lights that can be used again and again across many projects, creating massive efficiencies.

By standardizing on Jobsite360, PCL Alberta has achieved:

- Reduction in onsite power costs, which are often borne by the GC in Canadian projects. PCL
 Alberta calculated that one project alone drove over \$3M in energy savings.
- Reduction in labour costs, as all Jobsite360 lights are plug and play and crews are familiar
 with the spacing and brightness from using them over and over again.
- Reduction in asset costs as lights are reused from job to job rather than being thrown out
 afterwards. The durability of the lights is such that many of the original lights purchased in
 2016 are still in service. PCL shop is trained to make maintenance repairs, and larger repairs
 are handled quickly by Lind Equipment, ensuring the longest life possible for the assets.

As experts in all aspects of temporary lighting and power, from designing to planning to maintaining, ask us how you would benefit from standardizing on Jobsite360 across your organization.



ICE District - AB

Project Gallery



Amazon Distribution Center - OH



Tsawwassen Mills - BC



CHOA Hospital - GA



UBS Arena at Belmont Park - NY



Gaylord Rockies - CO



VA Hospital - CA



Natomas Crossing - CA



Wexner Medical Center - OH

We Plan

- + Jobsite360 Lighting and Power Layout
- + Cost-benefit analysis
- + Bill of materials
- + Site visits



We Deliver

- + Jobsite shipping
- + Guaranteed delivery
- + Customized features
- + Service/Repair
- + No-hassle warranty



You Save!

- + Costs savings calculator
- + Reduced labour and prep work
- + Jobsite360 Success Program



PURPOSE-BUILT TO SAVE CONTRACTORS TIME & MONEY WHILE CREATING A SAFER, MORE EFFICIENT JOBSITE.

Email the below to be connected with your local Jobsite360 representative.

info@jobsite360.net



Canada

145 Renfrew Drive, Ste 150 Markham, ON L3R 9R6



United States

300 International Drive, Ste 100 Williamsville, NY 14221



